Bibliography

[1] N. Isgur and M.B. Wise, "Heavy Quark Symmetry", pp. 231–282, in B Decays, ed. Sheldon Stone, (World Scientific, Singapore, 1994).

[2] Super-Kamiokande Collab., Y. Fukuda *et al.*, "Study of the atmospheric neutrino flux in the multi-GeV energy range", *Phys. Lett.* **B433** (1998) 9–18.

[3] Super-Kamiokande Collab., Y. Fukuda *et al.*, "Measurement of a small atmospheric ν_μ/ν_e ratio", *Phys. Lett.* **B436** (1998) 3–41.

[4] Particle Data Group: C. Caso *et al.*, *Eur. Phys. J.* **C3** (1998).

[5] D0 Collab., B. Abbott *et al.*, "Direct Measurement of the Top Quark Mass at D0", *Phys. Rev.* **58** (1998) 052001.

[6] CDF Collab., F. Abe *et al.*, "Measurement of the Top Quark Mass", *Phys. Rev. Lett.* **82** (1999) 82–271.

[7] The LEP Collaborations ALEPH, DELPHI, L3, OPAL and the LEP Electroweak Working Group, "A Combination of Preliminary LEP Electroweak Measurements and Constraints on the Standard Model", PPE 95-172, CERN, 1995.

[8] M. Kobayashi and T. Maskawa, "CP-Violation in the Renormalizable Theory of Weak Interactions", *Prog. Theor. Phys.* **Vol. 49** (1973) 652.

[9] M. Neubert, "Heavy Quark Symmetry", *Phys. Rep.* **245** (1994) 259.

[10] Matthias Neubert, in Proc. Effective Theories and Fundamental Interactions, (World Scientific, Singapore, 1997), pp. 98–142.

[11] Jonathan L. Rosner, "P-Wave Mesons with One Heavy Quark", *Comments Nucl. Part. Phys. Comm.* **16** (1986) 109.

[12] Benjamin Grinstein, "Review of Recent Developments in Heavy Quark Theory", HUTP-91/A028, 1991.

[13] Nathan Isgur and Mark B. Wise, "Spectroscopy with Heavy-Quark Symmetry", *Phys. Rev. Lett.* **66** (1991) 1130.

[14] Thomas Mannel, "Review of Heavy Quark Effective Theory", TTP-96-56, 1996, Contribution to the Workshop on Heavy Quarks at Fixed Target, Rheinfals Castle, St. Goar, Germany, October 3-6 1996.

[15] F. Hussain and G. Thompson, "An Introduction to the Heavy Quark Effective Theory", IC/95/15, International Centre for Theoretical Physics, Trieste, Italy, 1995.

[16] Benjamin Grinstein, "Review of Heavy Quark Effective Theory", UCSD/PTH-95-05, 1995, Introductory lectures on heavy quarks and heavy quark effective field theory, August 1995.

[17] Mark B. Wise, "Heavy Flavor Theory: Overview", CALT-68-1901, 1993, Talk given at the Lepton Photon Conference Cornell University, August 1993.

[18] Mark B. Wise, "Combining Chiral and Haevy Quark Symmetries", CALT-68-1860, 1993, Lectures given at CCAST Symposium on Particle Physics at the Fermi Scale, May 27-June 4, 1993.

[19] A.F. Falk, M. Neubert and M.E. Luke, "Strong decays of excited mesons in chiral perturbative theory", *Nucl. Phys.* **B388** (1992) 363.

[20] A.F. Falk and M. Neubert, "Second order power corrections in the heavy quark effective theory.1.Formalism and meson form-factors.2.Baryon form-factors", *Phys. Rev.* **D47** (1993) 2965 and 2982.

[21] P. Ball and V.M. Braun, "Next-to-leading order corrections to meson masses in the heavy quark effective theory", *Phys. Rev.* **D49** (1994) 2472.

[22] V. Eletsky and E. Shuryak, "Dependence of the decay constant of heavy - light pseudoscalar meson on the heavy quark mass", *Phys. Lett.* **B276** (1992) 191.

[23] M. Neubert, "A virial theorem for the kinetic energy of a heavy quark inside hadrons", *Phys. Lett.* **B322** (1994) 419.

[24] Michael Gronau, Alex Nippe and Jonathan L. Rosner, "Method for flavour tagging in neutral B meson decays", *Phys. Rev.* **D47** (1993) 1988.

[25] Estia J. Eichten, Christopher T. Hill and Chris Quigg, "Orbitally Excited Heavy-Light Mesons Revisited", FERMILAB-CONF-94/118-T, 1994.

[26] Estia J. Eichten, Christopher T. Hill and Chris Quigg, "Properties of Orbitally Excited Heavy-Light ($Q\bar{q}$) Mesons", *Phys. Rev. Lett.* **71** (1993) 4116.

[27] Michael Gronau and Jonathan L. Rosner, "Identification of neutral B mesons using correlated hadrons", *Phys. Rev.* **D49** (1993) 255.

[28] D. Elbert, V.O. Galkin and R.N. Faustov, "Mass spectrum of orbitally and radially excited heavy-light mesons in relativistic quark model", *Phys. Rev.* **D57** (1998) 5663.

[29] Nathan Isgur, "Spin-orbit inversion of excited heavy quark mesons", *Phys. Rev.* **D57** (1998) 4041.

[30] CLEO Collab., T. Bergfeld *et al.*, "Observation of D1+(2420) and D2*+(2460)", *Phys. Lett.* **B340** (1994) 194.

[31] CLEO Collab., T. Bergfeld *et al.*, "Production and decay of D0+(2420) and D2*0(2460)", *Phys. Lett.* **B331** (1994) 236.

[32] ARGUS Collab., H. Albrecht *et al.*, "Resonance decomposition of the D*0(2420) through a decay angular analysis", *Phys. Lett.* **B232** (1989) 398.

[33] ARGUS Collab., H. Albrecht *et al.*, "Observation of charged isospin partner of D*0(2459) ", *Phys. Lett.* **B231** (1989) 208.

[34] ARGUS Collab., H. Albrecht *et al.*, "Observation of the D*0(2459) in e+e- annihilation", *Phys. Lett.* **B221** (1988) 422.

[35] DELPHI Collab., P. Abreu *et al.*, "Narrow D^{**} production in c and b jets", Internal Report DELPHI 98-128; CONF 189, 1998, Preliminary results presented at ICHEP'98, Vancouver, BC, Canada, july 23-29 1998.

[36] ALEPH Collab., D. Buskulic *et al.*, "Production of D_1 and D_1^* mesons in hadronic Z decays", Internal Report ALEPH 98-047; CONF 98-021, 1998, Preliminary results presented at ICHEP'98, Vancouver, BC, Canada, july 23-29 1998.

[37] DELPHI Collab., P. Abreu *et al.*, "Observation of Orbitally Excited B Mesons", *Phys. Lett.* **B345** (1995) 598.

[38] OPAL Collab., R. Akers *et al.*, "Observations of $\pi - B$ charge-flavor correlations and resonant $B\pi$ and BK production", *Z. Phys.* **C66** (1995) 19.

[39] ALEPH Collab., D. Buskulic *et al.*, "Production of Excited Beauty States in Z Decays", *Z. Phys.* **C69** (1996) 393.

[40] ALEPH Collab., D. Buskulic *et al.*, "Resonant Structure and Flavour Tagging in the $B\pi^{\pm}$ System Using Fully Reconstructed B Decays", EP 98-017, CERN, 1998.

[41] CDF Collab., "Flavor Tagging, B^{**} Production, and Rare B Decays at CDF ", Internal report, 1998, Preliminary results presented at ICHEP'98, Vancouver, BC, Canada, july 23-29 1998.

[42] DELPHI Collab., P. Abreu *et al.*, "A measurement of D meson production in Z0 hadronic decays", *Z. Phys.* **C59** (1993) 533.

[43] CUSB Collab., Q.W Wu *et al.*, "Measurement of the B^* cross-section at $s^{**}(1/2) = 10.61$ GeV to 10.70 GeV", *Phys. Lett.* **B273** (1991) 177.

[44] CLEO Collab., D.S Akerib *et al.*, "Measurement of the inclusive B^* cross section above the Upsilon(4S)", *Phys. Rev. Lett.* **67** (1991) 1692.

[45] DELPHI Collab., P. Abreu *et al.*, "B^* production in Z decays", *Z. Phys.* **C68** (1995) 353.

[46] OPAL Collab., K. Ackerstoff *et al.*, "B^* production in Z0 decays", *Z. Phys.* **C74** (1997) 413.

[47] ALEPH Collab., D. Buskulic *et al.*, "Production of excited beauty states in Z decays", *Z. Phys.* **C69** (1996) 393.

[48] L3 Collab., M. Acciarri *et al.*, "B^* production in Z decays at LEP", *Phys. Lett.* **B345** (1995) 589.

[49] L3 Collab., M. Acciarri *et al.*, (1995), contribution to EPS conference, Brussels EPS95.

[50] Raymond Rosmalen, "A test of QED with $e^+e^-\rightarrow\gamma\gamma$ at LEP energies", Ph.D. thesis, Univ. of Nijmegen, 1994.

[51] J. Wenniger, "Mesure de paramètres électro-faibles du Z avec la réaction $e^+e^-\rightarrow e^+e^-$", Ph.D. thesis, Univ. of Geneva, 1992.

[52] Yu. Galaktionov *et al.*, "The performance of a uranium gas sampling calorimeter", *Nucl. Inst. Meth.* **A251** (1986) 258.

[53] L3 Collab., B. Adeva *et al.*, "Test results of the L3 precision muon detector", *Nucl. Inst. Meth.* **A289** (1990) 335.

[54] L3 Collab., O. Adriani *et al.*, "Results from the L3 experiment at LEP", *Phys. Rep.* **236** (1993) 1.

[55] L3 Collab., M. Acciari *et al.*, "The Silicon Microvertex Detector", *Nucl. Inst. Meth.* **A351** (1994) 300.

[56] L3 SMD Collab., B. Acciari *et al.*, "The Silicon Microvertex Detector", *Nucl. Inst. Meth.* **A360** (1995) 103.

[57] V. Krastev, "Analysis of the spring 1993 SMD metrology data", L3 note 1484, 1993.

[58] L3 -SMD Collaboration, "The L3 Silicon Microvertex Detector", PPE 94-122, CERN, 1994.

[59] Boston University, L3 group, "L3 Radiation Monitor System Data Summary for 1993 and 1994 Runs", L3 note 1709, 1995.

[60] L3 SMD Collab., A. Adam *et al.*, "Test beam results from the prototype L3 silicon microvertex detector", *Nucl. Inst. Meth.* **A344** (1994) 521.

[61] J.Alcaraz, M.I. Josa and J.C. Pinto, "Global Alignment of the L3 Silicon Microvertex Detector", L3 note 1724, 1995.

[62] J.Alcaraz, M.Biasini and M.I. Josa, "The Alignment of the L3 Silicon Microvertex Detector", L3 note, in preperation.

[63] J.Alcaraz, "SZ reconstruction in the L3 detector", L3 note 2318, 1998.

[64] Dimitri Bourilkov, "TEC Calibration with the SMD", L3 note 1870, 1995.

[65] Aaron Dominguez, "Search for Neutral Higgs Bosons in e^+e^- interactions at cernter-of-mass energies between 130 GeV and 183 GeV", Ph.D. thesis, Univ. of California, San Diego, 1998.

[66] T.Sjöstrand, "PYTHIA 5.6 and JETSET 7.3 Physics and Manual", TH 6488/92, CERN, 1992.

[67] R. Brun *et al.*, "Geant users manual", DD/EE 84-1, CERN, September 1987.

[68] L3 Collab., B. Adeva *et al.*, "Measurement of electroweak parameters from hadronic and leptonic decays of the Z0", *Z. Phys.* **C51** (1991) 179.

[69] R.E. Kalman, *J. Basic Eng.* **83** (1961) 95, K.F. track fit with GEANE was implemented in L3 central tracker by G. Raven.

[70] James G. Branson, Aaron Domingues, Ian Fisk and Gerhard Raven, "The UCSD b tag for 1996", L3 note 2108, 1997.

[71] F. Filthaut, D. Bourilkov and V. Briglevic, "Comparison 1995 L3 vertex data with LEP BOM and QS0 measurements", L3 note 1943, 1996.

[72] J. Sens and P.Vikas, "Reconstruction of the L3 Fill Vertices", L3 note 1027, 1991.

[73] J. Alcaraz, B. Bertuci, M. Chamizo, S. Easo, J. Goldstein, D. Kamrad, M. Maity and J. Rodin., "Measurement of tge Z Branching Fraction into Bottom Quarks Using Double Tag Methods.", L3 note 2114, 1997.

[74] Christopher G. Tully, "Baryon Production in Z Decay", Ph.D. thesis, Princeton University, December 1997.

[75] Yijin Pei, "Photon Identification using a Neural Net", L3 note 1569, 1994.

[76] Scott Stuart Snyder, "Measurement of the Top Quark Mass at D0", Ph.D. thesis, State University of New York at Stony Brook, 1995.

[77] J. Casaus, "Fragmentation Parameter Tuning for JETSET 7.4", L3 note 1946, 1996.

[78] The LEP electroweak Working Group, "Presentaion of LEP Electroweak Heavy Flavour Results for Summer 1994 Conferences", L3 note 1613, 1994.